

Computational Intelligence

Winter Term 2017/18

Prof. Dr. Günter Rudolph

Lehrstuhl für Algorithm Engineering (LS 11)


Fakultät für Informatik

TU Dortmund

- Bidirectional Associative Memory (BAM)
 - Fixed Points
 - Concept of Energy Function
 - Stable States = Minimizers of Energy Function

- Hopfield Network
 - Convergence
 - Application to Combinatorial Optimization

Network Model



- fully connected
- bidirectional edges
- synchronized:
 - step t : data flow from x to y
 - step t + 1 : data flow from y to x

start: $y^{(0)} = \text{sgn}(x^{(0)} W)$
 $x^{(1)} = \text{sgn}(y^{(0)} W')$
 $y^{(1)} = \text{sgn}(x^{(1)} W)$
 $x^{(2)} = \text{sgn}(y^{(1)} W')$
 ...

x, y : row vectors
 W : weight matrix
 W' : transpose of W
 bipolar inputs $\in \{-1,+1\}$

Fixed Points

Definition

(x, y) is **fixed point** of BAM iff $y = \text{sgn}(x W)$ and $x' = \text{sgn}(W' y')$. □

Set $W = x' y$. (note: x is row vector)

$$y = \text{sgn}(x W) = \text{sgn}(x (x' y)) = \text{sgn}(\underbrace{(x x')}_{> 0} y) = \text{sgn}(\|x\|^2 y) = y$$

> 0 (does not alter sign)

$$x' = \text{sgn}(W' y) = \text{sgn}(\underbrace{(x' y)}_{> 0} y') = \text{sgn}(x' (y y')) = \text{sgn}(x' \|y\|^2) = x'$$

> 0 (does not alter sign)

Theorem: If $W = x' y$ then (x, y) is fixed point of BAM. □



Concept of Energy Function

given: BAM with $W = x'y$ $\Rightarrow (x,y)$ is stable state of BAM

starting point $x^{(0)}$ $\Rightarrow y^{(0)} = \text{sgn}(x^{(0)} W)$
 \Rightarrow excitation $e' = W (y^{(0)})'$
 \Rightarrow if $\text{sign}(e') = x^{(0)}$ then $(x^{(0)}, y^{(0)})$ stable state

small angle between e' and $x^{(0)}$

\Leftarrow true if e' close to $x^{(0)}$



small angle $\alpha \Rightarrow$ large $\cos(\alpha)$

recall: $\frac{ab'}{\|a\| \cdot \|b\|} = \cos \angle(a, b)$

Concept of Energy Function

required:

small angle between $e' = W y^{(0) '}$ and $x^{(0)}$

\Rightarrow larger cosine of angle indicates greater similarity of vectors

$\Rightarrow \forall e'$ of equal size: try to maximize $x^{(0)} e' = \underbrace{\|x^{(0)}\|}_{\text{fixed}} \cdot \underbrace{\|e'\|}_{\text{fixed}} \cdot \underbrace{\cos \angle(x^{(0)}, e')}_{\rightarrow \text{max!}}$

\Rightarrow maximize $x^{(0)} e' = x^{(0)} W y^{(0) '}$

\Rightarrow identical to minimize $-x^{(0)} W y^{(0) '}$

Definition

Energy function of BAM at iteration t is $E(x^{(t)}, y^{(t)}) = -\frac{1}{2} x^{(t)} W y^{(t) '}$ \square

Stable States

Theorem

An asynchronous BAM with arbitrary weight matrix W reaches steady state in a finite number of updates.

Proof:

$$E(x, y) = -\frac{1}{2} x W y' = \begin{cases} -\frac{1}{2} x (W y') = -\frac{1}{2} x b' = -\frac{1}{2} \sum_{i=1}^n b_i x_i \\ -\frac{1}{2} (x W) y' = -\frac{1}{2} a y' = -\frac{1}{2} \sum_{i=1}^k a_i y_i \end{cases}$$

excitations

BAM asynchronous \Rightarrow select neuron at random from left or right layer, compute its excitation and change state if necessary (states of other neurons not affected)

neuron i of left layer has changed $\Rightarrow \text{sgn}(x_i) \neq \text{sgn}(b_i)$
 $\Rightarrow x_i$ was updated to $\tilde{x}_i = -x_i$

$$E(x, y) - E(\tilde{x}, y) = -\frac{1}{2} \underbrace{b_i (x_i - \tilde{x}_i)}_{< 0} > 0$$

x_i	b_i	$x_i - \tilde{x}_i$
-1	> 0	< 0
+1	< 0	> 0

use analogous argumentation if neuron of right layer has changed
 \Rightarrow every update (change of state) decreases energy function
 \Rightarrow since number of different bipolar vectors is finite update stops after finite #updates

remark: dynamics of BAM get stable in local minimum of energy function!

q.e.d.

Example I: Linear Functions

$$f(x) = \sum_{i=1}^n c_i x_i \rightarrow \min! \quad (x_i \in \{-1, +1\})$$

Evidently: $E(x) = f(x)$ with $W = 0$ and $\theta = c$

↓

choose $x^{(0)} \in \{-1, +1\}^n$
 set iteration counter $t = 0$
 repeat
 choose index k at random

$$x_k^{(t+1)} = \text{sgn}(x^{(t)} \cdot W_{\cdot, k} - \theta_k) = \text{sgn}(x^{(t)} \cdot 0 - c_k) = -\text{sgn}(c_k) = \begin{cases} -1 & \text{if } c_k > 0 \\ +1 & \text{if } c_k < 0 \end{cases}$$

 increment t
 until reaching fixed point

⇒ fixed point reached after $\Theta(n \log n)$ iterations on average

[proof: → black board]

Example II: MAXCUT

given: graph with n nodes and symmetric weights $\omega_{ij} = \omega_{ji}$, $\omega_{ii} = 0$, on edges

task: find a partition $V = (V_0, V_1)$ of the nodes such that the weighted sum of edges with one endpoint in V_0 and one endpoint in V_1 becomes maximal

encoding: $\forall i=1, \dots, n: \quad y_i = 0 \Leftrightarrow \text{node } i \text{ in set } V_0; \quad y_i = 1 \Leftrightarrow \text{node } i \text{ in set } V_1$

objective function: $f(y) = \sum_{i=1}^{n-1} \sum_{j=i+1}^n \omega_{ij} [y_i(1-y_j) + y_j(1-y_i)] \rightarrow \max!$

preparations for applying Hopfield network

step 1: conversion to minimization problem

step 2: transformation of variables

step 3: transformation to “Hopfield normal form“

step 4: extract coefficients as weights and thresholds of Hopfield net

Example II: MAXCUT (continued)

step 1: conversion to minimization problem

⇒ multiply function with -1 ⇒ $E(y) = -f(y) \rightarrow \min!$

step 2: transformation of variables

⇒ $y_i = (x_i + 1) / 2$

$$\Rightarrow f(x) = \sum_{i=1}^{n-1} \sum_{j=i+1}^n \omega_{ij} \left[\frac{x_i + 1}{2} \left(1 - \frac{x_j + 1}{2} \right) + \frac{x_j + 1}{2} \left(1 - \frac{x_i + 1}{2} \right) \right]$$

$$= \frac{1}{2} \sum_{i=1}^{n-1} \sum_{j=i+1}^n \omega_{ij} [1 - x_i x_j]$$

$$= \frac{1}{2} \sum_{i=1}^{n-1} \sum_{j=i+1}^n \omega_{ij} - \frac{1}{2} \sum_{i=1}^{n-1} \sum_{j=i+1}^n \omega_{ij} x_i x_j$$

constant value (does not affect location of optimal solution)

Example II: MAXCUT (continued)

step 3: transformation to “Hopfield normal form“

$$E(x) = \frac{1}{2} \sum_{i=1}^{n-1} \sum_{j=i+1}^n \omega_{ij} x_i x_j = -\frac{1}{2} \sum_{i=1}^n \sum_{j=1}^n \underbrace{\left(-\frac{1}{2} \omega_{ij} \right)}_{w_{ij}} x_i x_j$$

$$= -\frac{1}{2} x' W x + \theta' x$$

↓
0'

step 4: extract coefficients as weights and thresholds of Hopfield net

$$w_{ij} = -\frac{\omega_{ij}}{2} \text{ for } i \neq j, \quad w_{ii} = 0, \quad \theta_i = 0$$

remark: ω_{ij} : weights in graph — w_{ij} : weights in Hopfield net